



500-2500 MHz Vehicle Antenna

- Rugged, Wide Band Performance
- Spring mount design

Model : WB-5s

Part Number: **1000-2355-201** (black)
1000-2355-202 (green)
1000-2355-203 (tan)

The WB-5s wide band antenna is a spring base, spring mounted antenna designed for line of sight voice or data communication circuits. The antenna is vertically polarized and has a frequency range of 500-2500 MHz with a 200 watt average power capacity. The rugged design of the WB-5s will provide many years of excellent service.



ELECTRICAL SPECIFICATIONS

SPECS	PERFORMANCE
Frequency Range	500-2500 MHz
VSWR (max)	2.5:1 (50 Ω)
Gain	2-4 dBi (typical)
Polarization	Vertical
Vertical -3dB Beamwidth	Varies with frequency
Horizontal -3dB Beamwidth	360°
Power Input	200 Watts (avg)

MECHANICAL & ENVIRONMENTAL SPECIFICATIONS

SPECS	PERFORMANCE
Connector	N Female
Mounting	NATO 4 hole standard (4, 7/16" holes on a 4.5" bolt circle)
Diameter	3.5" inches (76.2mm) O.D.
Color	Black (standard)
Length	24" (609.6mm)
Weight	~5 lbs (2.27kg)



101 S. E. 25th Avenue
 Mineral Wells, TX 76067

800.553.1507 (USA ONLY)
 p: 940.325.3301
 f: 940.325.0716

e:sales@antennaproducts.com

www.antennaproducts.com

Pursuant to APC's policy of continuous product improvement, specifications are subject to change without notice or obligation.

Communication Solutions For A Wireless World